

Výkonnostní zkoušky starokladrubských klisen - Slatiňany - 26.- 27. 9.2017

| <u>P.Č.</u> | <u>Jméno</u> | <u>Dat. nar.</u> | <u>Barva</u> | <u>Otec</u> | <u>Matka</u> | <u>KVP</u> | <u>KVH</u> | <u>OH</u> | <u>Ohol</u> | <u>Hmot</u> |
|-------------|------------------------|------------------|--------------|---------------------|--------------------------|------------|------------|-----------|-------------|-------------|
| 1. | Barbarossa - 20 | 22. 2.2013 | vr. | Sacramoso Mantova X | 75/646 Barcia (Gss XL) | 181 | 170 | 212 | 21.0 | 630 |
| 2. | Exarca - 23 | 28. 3.2013 | vr. | Sacramoso Mantova X | 75/713 Exacta (So XVII) | 183 | 173 | 200 | 22.0 | 600 |
| 3. | Petera - 24 | 19. 4.2013 | vr. | Sacramoso Mantova X | 75/714 Palanca (S VI) | 182 | 170 | 210 | 22.5 | 680 |
| 4. | Simoneta - 22 | 19. 2.2013 | vr. | Romke Eleja X | 75/644 Samanada (S IV) | 176 | 165 | 196 | 21.5 | 565 |
| 5. | Fortagia - 24 | 13. 3.2013 | vr. | Romke Eleja X | 75/177 Falsa (So XVIII) | 175 | 165 | 202 | 21.5 | 570 |
| 6. | Camerina - 27 | 3. 5.2013 | vr. | Romke Eleja X | 75/711 Camora (So XVIII) | 178 | 167 | 197 | 21.5 | 565 |

| <u>P.Č.</u> | <u>Jméno</u> | <u>Tah</u> | <u>Ovl.</u> | <u>Mar.</u> | <u>Mech.</u> | <u>Přij.</u> | <u>Výcv.</u> | <u>VÝK</u> | <u>EXT</u> | <u>TYP</u> | <u>CELKEM</u> | <u>Pořadí</u> |
|-------------|------------------------|------------|-------------|-------------|--------------|--------------|--------------|------------|------------|------------|---------------|---------------|
| 3. | Petera - 24 | 7.33 | 8.08 | 9.00 | 6.78 | 7.25 | 10.00 | 7.67 | 7.48 | 7.83 | 7.69 | 1. |
| 6. | Camerina - 27 | 8.50 | 6.83 | 7.00 | 7.22 | 7.58 | 9.38 | 7.67 | 7.56 | 7.50 | 7.58 | 2. |
| 4. | Simoneta - 22 | 7.83 | 6.83 | 7.00 | 6.44 | 6.42 | 9.94 | 7.17 | 7.63 | 7.83 | 7.53 | 3. |
| 1. | Barbarossa - 20 | 7.72 | 8.58 | 8.00 | 6.78 | 7.42 | 9.75 | 7.72 | 6.92 | 6.67 | 7.12 | 4. |
| 5. | Fortagia - 24 | 7.33 | 6.92 | 7.00 | 6.56 | 6.83 | 9.19 | 7.08 | 6.98 | 6.83 | 6.96 | 5. |
| 2. | Exarca - 23 | 4.06 | 7.33 | 7.00 | 6.89 | 7.00 | 9.56 | 6.40 | 6.46 | 6.50 | 6.45 | 6. |

Komise :

Ing.J.Kaplan, Z.Dyková, Ing.Z.Šancová